



Clinical & Translational Science Institute
of Southeast Wisconsin

HONEST BROKER DATA DICTIONARY

Clinical Research Data Warehouse

Research Data Tools

i2b2 & TriNetX query tools help research teams discover and validate patient cohorts using existing well-aggregated, de-identified clinical data from various sources. Honest Broker is an IRB-approved research data extraction tool.

CTSI Biomedical Informatics Team
CRDW@mcw.edu

Table of Contents

Clinical Research Data Warehouse (CRDW)	3
CRDW Tools	3
Data Sources (w/start date).....	4
Data Integrity Partners.....	4
Data Access (Data Release Agreements).....	4
Data Team/Support.....	4
Honest Broker Tables	5
<i>Allergy History</i>	5
<i>Biospecimens (Froedtert Only)</i>	5
<i>Diagnosis (Dx)</i>	6
<i>Diagnostic Results</i>	7
<i>Encounters</i>	8
<i>Encounters – Future Appointments – Identified Extract Only</i>	9
<i>Genomics (Froedtert Only)</i>	9
<i>Imaging Orders</i>	11
<i>Immunization</i>	12
<i>Medication Orders</i>	13
<i>Medications Administered</i>	14
<i>NAACCR Data (Froedtert Only)</i>	15
<i>Ob/Gyn Mother & Baby Data (Froedtert Only)</i>	17
<i>Patient Demographics</i>	19
<i>Patient Contact Info – Identified Extract Only</i>	20
<i>Problem List</i>	20
<i>Procedures (Px)</i>	21
<i>Social History – Lifestyle</i>	22
<i>Vitals</i>	25
Value Sets	25
<i>Encounter Type [enc_type]</i>	25
<i>Diagnosis Source [dx_source]</i>	26
<i>Result Modifier</i>	26
References	26
Change Log	26


Clinical Research Data Warehouse (CRDW)

The CRDW is an aggregation of de-identified clinical data from various sources.

- **De-identified** patient data can be accessed through query tools and extracted using the Honest Broker tools
- **Identified** patient data can be extracted by researchers who have an approved IRB protocol using the Honest Broker **Identified Extract** process
- **PHI = Protected Health Information - not available on de-identified tables**

CRDW Tools

All CTSI data warehouse tools are available at <https://ctri.mcw.edu/resources/bmi-links/>



Data Warehouses

- Froedtert & The Medical College of Wisconsin
 - Froedtert Hospital
 - Community Memorial Hospital
 - St. Joseph's Hospital West Bend
 - Community Physicians clinics
 - Medical College of Wisconsin clinics
- Children's Wisconsin (Children's Specialty Group data only)

Query Tools

- i2b2 – Informatics for Integrating Biology and the Bedside
- TriNetX (<https://www.trinetx.com/trinetx-live/>)

Data Extraction Tools

- Honest Broker (HIPAA-compliant, IRB-approved)
 - De-identified
 - Identified

Data Sources (w/start date)

- **Epic EHR (electronic health record) Systems**
 - Froedtert & Medical College of Wisconsin (October 2004)
 - Community Memorial Hospital (May 2012)
 - Community Physicians Clinics (July 2013)
 - St. Joseph West Bend (September 2013)
 - Children's Hospital (November 2013)
 - Children's Specialty Group only (Children's Medical Group data not available)
- **Foundation Medicine** genetic testing results (~2007, low n)
- **Froedtert Hospital legacy systems retired in 2012**
 - Affinity (clinical ordering and billing system)
 - Intellidose (oncology treatment protocol system)
 - SIS (surgical documentation system)
- **GE/IDX Physician Billing System (~1999 to 11/30/2018)**
 - Group 3 Medical College Physicians
 - Group 4 Children's Specialty Group
 - Group 7 FMCCP (Community Physicians)
- **NAACCR Tumor Registry (SJH – 2001, CMH - 1989, FMLH – 1989)**
- **OnCore Clinical Trials Management System**
 - Biospecimen data from MCW tissue bank (2012)
 - Clinical Trials enrollment (yes/no)

Data Integrity Partners

- MCW Institutional Review Board (IRB)
- Froedtert Office of Clinical Research and Innovative Care Compliance (OCRICC)
- F&MCW Epic Core Team, Clinical Informatics & Pharmacy Informatics

Data Access (Data Release Agreements)

Our access form is available at <https://ctri.mcw.edu/cda/crdw/>

- PI should complete one Data Release Agreement (DRA) per project
- If you are in the early stages of project development, you may be general in your description of desired data elements and intended use of our tools. A DRA for an existing project can be modified manually to add new team members upon request to the user access contact below.

Data Team/Support

Technical Issues

- i2b2 or Honest Broker, contact CRDW@mcw.edu
- TriNetX, contact support@trinetx.com

User Access & Training Contact

- Kris Osinski, CTSI Biomedical Informatics Business Analyst
 - kosinski@mcw.edu or 414-805-7245 (office)

Honest Broker Tables

Allergy History

Source: Epic

Primary date for sort/filter: i2b2_start_date (this is a coalescence of two date fields)

*Table Granularity: each row represents a documented instance of a specific reaction for a specific allergen documented during a specific allergy review session for a specific patient, so a single patient could have multiple rows even if they have only one allergen in their record

Column	Description	Encrypted?
mrn*	Note: Froedtert MRN is in 00000000 format	PHI
patient_num*	Masked i2b2 patient number	Yes
hx_allergen_id*	ID of the Epic allergen from allergy history	
line*	The position of the allergen within the Epic allergy list	
hx_description	Name of the allergen (agent) from allergy history	
allergen_type_c	ID of the allergen type	
allergen_type_name	Name of the allergen type (e.g., Environmental, Food)	
reaction_c*	ID of the Epic reaction category	
reaction_name	Name of the Epic reaction category (e.g., Skin – rash vs. hives)	
hx_reaction_comment	Free text reaction comments	PHI
i2b2_start_date	This represents the hx_noted_date. If this field is empty then it represents the alrgy_hx_entry_dttm.	Yes, shifted
hx_noted_date	The date the patient made it known that they had experienced an allergic reaction	Yes, shifted
alrgy_hx_entry_dttm	The date the allergy history was entered into Epic	Yes, shifted
hx_status_c	ID of the allergy history status	
hx_status_name	Name of the allergy history status: Active/Deleted	
hx_allergy_type_c	ID of the allergy type category. This value represents the nature or character of the allergy.	
hx_allergy_type_name	Name of the allergy type (e.g., side effect, intolerance)	
hx_severity_c	ID of the allergy severity category. This value represents how serious the allergy is.	
hx_severity_name	Name of the allergy severity category (High/Medium/Low)	
alrgy_hx_dlt_cmt	Free text reason for allergy deletion	PHI

Biospecimens (Froedtert Only)

Source: OnCore, specimen tracking system used by MCW Tissue Bank

Primary date for sort/filter: created_on_date

*Table Granularity: each row represents a specific diagnosis code from a specific specimen bar code for a specific patient, so a single patient could have multiple rows even if they have only one specimen bar code stored in the tissue bank

Column	Description	Encrypted?
mrn*	Note: Froedtert MRN is in 00000000 format	PHI

patient_num*	Masked i2b2 patient number	Yes
created_on_date	The date the biospecimen record was created in OnCore	Yes, shifted
pathology_status	Pathologist's determination; unknown if not reviewed	
specimen_bar_code*	MCW Tissue Bank identifier, need this ID with leading zero format to request tissue in iLab	No
specimen_type	The preparation method of the biospecimen	
body_site	The anatomical site from which the specimen was taken	
tumor_site	Additional detail about the body site_	
initial_diagnosis*	Clinical indication(s) from the encounter in which the biospecimen was taken	
protocol_name	Indicates the owner of the banked tissue	

Diagnosis (Dx)

Sources: Epic, GEIDX professional billing (Froedtert Affinity data planned for future!)

Primary date for sort/filter: dx_date

*Table Granularity: each row represents a specific diagnosis code from a specific encounter for a specific patient, so a single patient could have multiple rows even if they have only one encounter in their record

Column	Description	Encrypted?
mrn*	Note: Froedtert MRN is in 00000000 format	PHI
patient_num*	Masked i2b2 patient number	Yes
encounter_num/id*	ID of the encounter (may be fabricated if not from Epic)	Yes
enc_type (see value set)	Category for broad characterization of encounter type	
dx_date	Date of the encounter associated with the diagnosis	Yes, shifted
provider_id	Epic ID for the provider linked to the diagnosis code	
provider_name	Name of the provider linked to the diagnosis code	
provider_title	Credentials of the provider linked to the diagnosis code	
dx_name	Description of the ICD diagnosis code	
dx_code*	ICD diagnosis code	
dx_type	9 = ICD-9, 10 = ICD-10	
dx_source (see value set)	Indicates the specific type of source for the diagnosis data	
dx_origin	Indicates the broad source of the diagnosis data	
pdx (principal dx indicator)	P = Principal diagnosis, S = Secondary diagnosis	
raw_pdx	Provides the specific source of the diagnosis code	
sourcesystem_cd	Indicates the source system for the data (e.g., IDX, Epic)	

Diagnostic Results

Source: Epic, Mosaik (future for Froedtert only)

Primary date for sort/filter: i2b2_date

*Table Granularity: each row represents a specific result component from a specific procedure order from a specific encounter for a specific patient, so a single patient could have multiple rows even if they have only one encounter in their record

Column	Description	Encrypted?
mrn*	Note: Froedtert MRN is in 00000000 format	PHI
patient_num*	Masked i2b2 patient number	Yes
encounter_num/id*	ID of the encounter (may be fabricated if not from Epic)	Yes
i2b2_date	Represents a coalesce of specimen_date and result_date	Yes, shifted
loinc_code https://loinc.org	LOINC coding is a standardized terminology for health measurements, observations and documents	
component_id*	ID of the Epic clinical result component	
component_name	Name of the Epic clinical result component	
res_quant_or_qual	Indicates whether the result component contains quantitative or qualitative data. If blank, it contains neither.	
abnormal_ind	Classifies non-normal results (e.g., Abnormal, Low, High)	
result_num	Numerical representation of the test result; for qualitative results this value will be 9999999	
result_unit	The unit of measure for the result	
result_modifier (see value set)	The operator for the result (e.g., GT=Greater Than)	
src_value	Raw recorded value for the clinical result component	
src_unit	Raw unit for the clinical result component	
order_proc_id*	The Epic order ID linked to the result	Yes
proc_id	The Epic internal procedure ID linked to the order	
px	The Epic external procedure ID linked to the order	
px_type	The type of code represented by the Epic external proc ID	
procedure_name	The name of the Epic procedure order	
provider_id	Epic ID for the provider linked to the procedure order	
provider_name	Name of the provider linked to the procedure order	
provider_title	Credentials of the provider linked to the procedure order	
specimen_date	Date/time the specimen or source of the result was acquired; this will likely be blank for abstracted result component data	Yes, shifted
result_date	Date the result was put in Final status	Yes, shifted
norm_range_low	The lower bound for the normal range	
norm_modifier_low	The operator for the lower bound	
norm_range_high	The upper bound for the normal range	
norm_modifier_high	The operator for the upper bound	

Encounters

Source: Epic, GEIDX/Professional (PB) Billing

Primary date for sort/filter: i2b2_date

*Table Granularity: each row represents data from a specific source system for a specific encounter for a specific patient, so a single patient could have multiple rows even if they only have a single encounter because that single encounter may generate data from more than one data source

Column	Description	Encrypted?
mrn*	Note: Froedtert MRN is in 00000000 format	PHI
patient_num*	Masked i2b2 patient number	Yes
encounter_num/id*	ID of the encounter (may be fabricated if not from Epic)	Yes
enc_type (see value set)	Category for broad characterization of encounter type	
src_enc_type_c	Epic ID for the encounter type; blank if not Epic	
src_enc_type_name	Epic encounter type name or fabricated encounter source	
age_at_visit_years	Calculated age at visit in rounded years	
i2b2_date	Represents a coalescence of hospital admission time (IP), appointment time (OP), date of service (GEIDX billing) and contact date (all other or date missing)	Yes, shifted
department_name	This represents either the Epic encounter department name or the GEIDX billing service area	
department_id	Epic ID for the encounter department; blank if not Epic	
department_specialty	Specialty linked to the Epic encounter department	
payer_type_primary_c	Category ID for the encounter's primary payer	
payer_type_primary_name	Category name of the encounter's primary payer	
payer_type_secondary_c	Category ID for the encounter's secondary payer	
payer_type_secondary_name	Category name for the encounter's secondary payer	
visit_status	Epic visit status (e.g., Arrived, Completed)	
visit_type	Epic visit type (e.g., New, Established, Lab Draw, EKG)	
visit_date	Date of encounter for non-encounter type 3	Yes, shifted
admit_date	The start date/time for encounter type 3. The patient was first admitted to the facility, bedded in the ED, or confirmed for an HOV (hospital outpatient visit) for this contact, regardless of patient's base patient class.	Yes, shifted
admit_source_c	Epic ID for the admission source	
admit_source_name	Epic name for the admission source	
discharge_date	The hospital discharge date and time for the patient contact	Yes, shifted
discharge_status_c	Epic ID of the admission discharge status	
discharge_status_name	Home, Skilled Nursing Facility, etc.	
length_of_stay_days	Hospital length of stay in days	
hosp_serv_c	Epic ID for the hospital service	
hosp_serv_name	Epic name for the hospital service	

drg	Diagnostic Related Group assigned by inpatient coders	
drg_type	Type of DRG	
drg_name	Name of the DRG	
visit_provider_id	Epic ID of the provider associated with the encounter	
visit_provider_name	Name of the provider associated with the encounter	
visit_provider_title	Credentials of the provider associated with the encounter	
visit_provider_npi	NPI ID of the provider associated with the encounter	
admission_provider_id	Epic ID of the provider who wrote the admission order	
admission_provider_name	Name of the provider who wrote the admission order	
admission_provider_title	Credentials of the provider who wrote the admission order	
admission_provider_npi	NPI ID of the provider who wrote the admission order	
sourcesystem_cd*	Indicates the source system for the data (e.g., IDX, Epic)	

Encounters – Future Appointments – Identified Extract Only

Source: Epic

Primary date for sort/filter: appt_dttm

*Table Granularity: each row represents a specific encounter for a specific patient, so a single patient could have multiple rows because they may have more than one future appointment

Column	Description	Encrypted?
patient_mrn*	Note: Froedtert MRN is in 00000000 format	PHI
full_name	Last name, First Name + Middle Initial	PHI
encounter_id*	Epic ID for the future appointment encounter	PHI
appt_dttm	The date and time of the future appointment	PHI
visit_provider_id	Epic ID of the provider associated with the encounter	No
visit_provider_name	The encounter provider's full name	
visit_provider_creds	The encounter provider's credentials	
department_id	Epic ID for the encounter department	
department_name	Epic encounter department name	
enc_type_id	Epic ID for the encounter type; 50 = Appointment	
enc_type_name	Epic encounter type name	
visit_type_id	Epic visit type ID	
visit_type_name	Epic visit type (e.g., New, Established, Lab Draw, EKG)	

Genomics (Froedtert Only)

Source: Foundation Medicine genetic testing reports

Primary date for sort/filter: (exempt from date filtering, all data will be delivered)

*Table Granularity: each row represents a specific variant** at a specific genetic location for a specific gene from a specific sample site on a specific test date for a specific patient, so a single patient could have multiple rows even if they have only one genetic test date for a single sample site

Column	Description	Encrypted?
mrn*	Note: Froedtert MRN is in 00000000 format	PHI
patient_num*	Masked i2b2 patient number	Yes
provider_id	Epic ID of the ordering/treating physician	No
provider_name	Name of the ordering/treating physician	
test_date*	Tissue collection date	Yes, shifted
test_type	Vendor-specific name of sequencing that was run	
sample_site*	The anatomical site from which tissue was taken	
gene_symbol*	e.g., BRAF, CDKN2B	
gene_id	Vendor-specific ID of the tested gene	
gene_name	e.g., B-Raf proto-oncogene, serine/threonine kinase	
reference_seq_name	e.g., NM_###...	
chromosome	chr#	
position	Numeric data	
strand	+ vs. -	
wildtype (pertinent negative)	F (false) or T (true)	
vus variant_of_unknown_significance	F (false) or T (true)	
tx (known_treatment)	F (false) or T (true)	
diagnosis	Text diagnosis from report	
protein_seq_variant**	p.x#...	
nucleotide_variant**	c.x#...	
reference_n (nucleotides)	e.g., A, C, G, T	
altered_n (nucleotides)	e.g., A, C, G, T	
allele_freq	Numeric data	
allele_fraction	Numeric data	
tmb_status (tumor_mutation_burden)	e.g., low, intermediate	
tmb_score	Numeric score	
tmb_score_units	e.g. mutations-per-megabase	
usat_stability	Microsatellite instability (MSI) is the condition of genetic hypermutability (predisposition to mutation) that results from impaired DNA mismatch repair (MMR). The presence of MSI represents phenotypic evidence that MMR is not functioning normally.	
variant_type	Text description of the variant observation	
gene_1 (rearrangement)	e.g., BRCA2	
gene_2 (rearrangement)	e.g., BRCA2	
pos_1 (position)	e.g., chr#.#-#	
pos_2 (position)	e.g., chr#.#-#	
re_type (rearrangement)	e.g., deletion, duplication, rearrangement	

amp_del	amplification vs. loss	
copy_number	Numeric data	
ratio	measured sample mRNA / control mRNA	
status	Known/unknown/likely/ambiguous	
variant_class	SV=short variation, CN=Copy Number, RE=chromosomal rearrangement	
sourcesystem_cd	FM=Foundation Medicine, TEMP = Tempus	

Imaging Orders (Froedtert Only)

Source: Epic orders

Primary date for sort/filter: i2b2_date (a coalescence of multiple date fields)

*Table Granularity: each row represents a specific reading radiologist for a specific procedure order from a specific encounter for a specific patient, so a single patient could have multiple rows, one row for each reading radiologist even if that patient only has one imaging procedure in their record

Column	Description	Encrypted?
mrn*	Note: Froedtert MRN is in 00000000 format	PHI
patient_num*	Masked i2b2 patient number	Yes
encounter_num/id*	ID of the encounter (may be fabricated if not from Epic)	Yes
enc_type (see value set)	Category for broad characterization of encounter type	
i2b2_date	Represents a coalesce of various procedure-related dates (specimen_taken_time, proc_bgn_time, order_time)	Yes, shifted
image_start_time	The date and time the imaging tech started taking the image	Yes, shifted
image_end_time	The date and time the imaging tech stopped taking the image	Yes, shifted
result_entry_date	The date the imaging result was filed to Epic via PACS or AXIS (Ophthalmology)	Yes, shifted
order_id*	Unique patient-specific order ID for a procedure order	Yes
acc_num	The unique accession ID for the image	Yes
proc_code	Epic procedure code for a procedure order	No
px	The code linked to an Epic procedure, some have coding embedded in them but many (like nursing orders) do not	
px_type	CH = CPT/HCPCS, OT = Other, 9 = ICD-9, 10 = ICD-10	
procedure_name	Procedure name from Epic's procedure master file (EAP)	
order_type_c	ID of the order type linked to the Epic procedure order	No
order_type_name	Epic order types broadly classify procedure orders	
order_status_c	ID of the Epic order status	No
order_status_name	Includes status such as Resulted, Completed, Sent	
i2b2_provider_id	Represents a coalesce of various procedure-related providers (authorizing, performing, billing or referring)	No
i2b2_provider_name	Name of the provider linked to the procedure record	
i2b2_provider_title	Credentials of the provider linked to the procedure record	

reading_radiologist_prov_id*	Epic ID of the interpreting/reading provider for the image - if a resident/fellow did the interp/read, the attending physician will also have a row in the table	No
reading_radiologist_name	Name of the interpreting/reading provider for the image	
reading_radiologist_title	Credentials for the interpreting/reading provider for the image (e.g., MD, DO, OD)	

Immunization

Source: Epic

Primary date for sort/filter: immune_date

*Table Granularity: each row represents a specific immunization instance from a specific encounter for a specific patient, so a single patient could have multiple rows even if they only have a single encounter in their record; likewise, a single patient can have multiple instances of a single vaccine

Column	Description	Encrypted?
mrn*	Note: Froedtert MRN is in 00000000 format	PHI
patient_num*	Masked i2b2 patient number	Yes
encounter_num/id*	ID of the Epic encounter	Yes
immunzatn_id*	Epic ID for the immunization substance record	No
immune_date	Date when the immunization was administered	Yes, shifted
immunization_name	Name of the Epic immunization record	
immun_type_c	Category ID for the immunization type	
immun_type_name	Name of the immunization type (e.g., Pediatric)	
dose	Dosage information for the immunization	
route_c	Category ID of the immunization route	
route_name	Name of the immunization route such as oral, intramuscular, or intradermal	
site_c	Category ID of the immunization site	
site_name	The anatomical location of the injection (e.g., left arm)	
mfg_c	Category ID for the vaccine manufacturer	
mfg_title	Name of the vaccine manufacturer	
lot	An alphanumeric ID for the immunization lot	
given_by_user_id	The Epic user ID of the person who administered the vaccine (not populated if the vaccine was entered as historical)	No
entry_user_id	The Epic user ID of the person who entered the vaccine record	No
entry_date	The date the vaccine record was created in Epic	Yes, shifted
expiration_date	Expiration date for the immunization lot	Yes, shifted
defer_reason_c	Category ID for the reason the vaccine was deferred	
defer_reason_title	Name of the deferral reason	
immunization_time	Date and time of the vaccine administration	Yes, shifted
imm_product	Vaccine brand name, for non-generic immunizations	

ndc_num_id	NDC (National Drug Code) ID, the universal product identifier	
immnzt_n_status_c	Epic ID for the immunization status	
immnzt_n_status_name	Given, incomplete, deferred, refused, etc.	
imm_historic_adm_yn	Indicates whether the immunization entry is historical	

Medication Orders

Source: Epic

Primary date for sort/filter: order_date

*Table Granularity: each row represents a specific medication ingredient from a specific medication order from a specific encounter for a specific patient, so a single patient could have multiple rows even if they only have a single encounter in their record; likewise, a single patient can have multiple orders for a single medication ingredient

Column	Description	Encrypted?
mrn*	Note: Froedtert MRN is in 00000000 format	PHI
patient_num*	Masked i2b2 patient number	Yes
encounter_num/id*	ID of the Epic encounter	Yes
order_med_id*	Unique patient-specific ID for a medication order	Yes
order_date	Date/time of the medication order	Yes, shifted
medication_id	Epic internal ID for each medication	No
medication_name	Epic internal name for each medication	
pharm_class_c	Category ID for the pharmacologic class	No
pharm_class	Pharmacologic class name (see References)	
pharm_subclass_c	Category ID for the pharmacologic subclass	No
pharm_subclass	Pharmacologic subclass name (see References)	
ingredient_rxcui	RxNorm Concept Unique Identifier (CUI) for a clinical drug ingredient (see References)	No
ingredient_rxcui_name	Name of the drug ingredient	
specific_rxcui	RxNorm concept unique identifier for a clinical drug (see References); this could be dose or brand level	No
specific_rxcui_type	e.g., SCD = Semantic Clinical Drug (see References)	
gpi	Generic Product Identifier (see References)	No
order_class	Classifies medication orders (e.g., Sample, Historical)	
ordering_mode	Inpatient vs. Outpatient	
order_status	Classifies the med order's status (e.g., Sent, Canceled)	
order_route	The medication route entered on the order	
freq_id	Epic internal ID for the frequency record	No
frequency	The administration frequency entered on the order	
dose	The dispensation amount entered on the order	
dose_unit	The dose unit entered on the order	

quantity	Medication dispense/quantity	
part_of_mix_yn	Y=Yes, N=No	
mix_ingredient_type	Classifies the medication mixture ingredient	
mix_parent_medication_id	Epic internal ID for the parent mixture medication	No
mix_parent_medication_name	Epic name for the parent mixture medication	
auth_prov_id	The ID of the provider who authorized the order	No
auth_provider	The name of the provider who authorized the order	
auth_provider_type	The role of the provider who authorized the order	
auth_prov_title	The authorizing provider's credentials	

Medications Administered

Source: Epic

Primary date for sort/filter: order_date_time

MAR = Medication Administration Record

*Table Granularity: each row represents a specific MAR administration of a specific medication ingredient for a specific medication order from a specific encounter for a specific patient, so a single patient could have multiple rows even if they only have a single encounter in their record; likewise, a single patient can have multiple administrations for a single medication ingredient

Column	Description	Encrypted?
mrn*	Note: Froedtert MRN is in 00000000 format	PHI
patient_num*	Masked i2b2 patient number	Yes
encounter_num/id*	ID of the Epic encounter	Yes
order_med_id*	Unique patient-specific ID for a medication order	Yes
order_date	Date/time of the medication order	Yes, shifted
medication_id	Epic internal ID for each medication	No
medication_name	Epic internal name for each medication	
instance_num	This number represents the scheduled frequency of each medication order within the MAR	
mar_event_time*	Date/time associated with each administration	Yes, shifted
mar_action	The MAR action associated with each administration (e.g., Due, Given, New Bag, Completed)	
mar_dose	The dose for each medication administration	
mar_dose_unit	The dose unit for each medication administration	
mar_route	The route associated with each administration	
pharm_class_c	Category ID for the pharmacologic class	
pharm_class	Pharmacologic class name (see References)	
pharm_subclass_c	Category ID for the pharmacologic subclass	
pharm_subclass	Pharmacologic subclass name (see References)	
ingredient_rxcui*	RxNorm Concept Unique Identifier (CUI) for a clinical drug ingredient (see References)	No

ingredient_rxcui_name	Name of the drug ingredient	
specific_rxcui	RxNorm Concept Unique Identifier (CUI) for a clinical drug (see References); this could be dose or brand level	No
specific_rxcui_type	e.g., SCD = Semantic Clinical Drug (see References)	
gpi	Generic Product Identifier (see References)	No
order_class	Classifies medication orders (e.g., Sample, Historical)	
ordering_mode	Inpatient vs. Outpatient	
order_status	Classifies the med order's status (e.g., Sent, Canceled)	
freq_id	Epic internal ID for the frequency record	No
frequency	The administration frequency entered on the order	
order_dose	The dispensation amount entered on the order	
order_dose_unit	The dose unit entered on the order	
quantity	Medication dispense/quantity	
part_of_mix_yn	Y=Yes, N=No	
mix_ingredient_type	Classifies the medication mixture ingredient	
mix_parent_medication_id	Epic internal ID for the parent mixture medication	No
mix_parent_medication_name	Epic name for the parent mixture medication	
auth_prov_id	The Epic ID of the provider who authorized the order	No
auth_provider	The name of the provider who authorized the order	
auth_provider_type	The role of the provider who authorized the order	
auth_prov_title	The authorizing provider's credentials	

NAACCR Data (Froedtert Only)

Source: NAACCR Tumor Registry (see [References](#))

Primary date for sort/filter: date_of_first_contact

*composite key: these seven items combined identify each unique row

Column	Description	Encrypted?
mrn*	Note: Froedtert MRN is in 00000000 format	PHI
patient_num	Masked i2b2 patient number	Yes
tumor_record_number*	Item 60 Tumor Record Number	
date_of_first_contact	Item 580 Date of 1st Contact	Yes, shifted
date_of_diagnosis	Item 390 Date of Diagnosis	Yes, shifted
date_of_last_contact	Item 1750 Date of Last Contact (or date of death)	Yes, shifted
date_case_last_changed*	Item 2100 Date the case was last changed or updated	Yes, shifted
diagnostic_confirmation	Item 490 Diagnostic Confirmation	
site_primary	Item 400 Primary Site	
laterality	Item 410 Laterality	
histologic_type_icd_o_3	Item 522 Histologic Type ICD-O-3	
behavior_code_icd_o_3	Item 523 Behavior Code ICD-O-3	

grade	Item 440 Grade (includes Gleason score)	
mult_tum_rpt_as_one_prim	Item 444 Multiple Tumors Reported as One Primary	
multiplicity_counter	Item 446 Multiplicity Counter	
rx_hosp_dx_stg_proc	Item 740 The surgical procedure(s) performed in an effort to diagnose and/or stage disease at this facility	
lymph_vascular_invasion	Item 1182 Lymphovascular Invasion	
cs_tumor_size	Item 2800 CS Tumor Size	
cs_lymph_nodes	Item 2830 CS Lymph Nodes	
cs_mets_at_dx	Item 2850 CS Metastasis at Diagnosis	
cs_mets_at_dx_bone	Item 2851 CS Metastasis of Bone at Diagnosis	
cs_mets_at_dx_brain	Item 2852 CS Metastasis of Brain at Diagnosis	
cs_mets_at_dx_liver	Item 2853 CS Metastasis of Liver at Diagnosis	
cs_mets_at_dx_lung	Item 2854 CS Metastasis of Lung at Diagnosis	
text_histology_title	Item 2590 Manual documentation of information regarding the histologic type, behavior, and grade (differentiation) of the tumor	
tnm_clin_descriptor	Item 980 Clinical Stage Descriptor	
tnm_clin_stage_group	Item 970 Clinical Stage Group	
tnm_path_descriptor	Item 920 Pathologic Stage Descriptor	
tnm_path_stage_group	Item 910 Pathologic Stage Group	
surgical_margins	Item 1320 Surgical Margins (after resection)	
cause_of_death	Item 1910 Cause of Death (ICD coding)	
patient_system_id_hosp*	Item 21 This unique number is assigned to patients by the tumor registry software and is used for all of a patient's subsequent tumors.	
accession_number_hosp*	Item 550 The unique abstraction identifier for each patient in each hospital registry	
sequence_number_hospital*	Item 560 Indicates the sequence of all malignant & non-malignant neoplasms over the lifetime of the patient. If 2 or more malignant tumors are diagnosed at the same time, the lowest sequence # will be assigned to the diagnosis with the worst prognosis.	
cs_site_specific_factor_1	Item 2880 The information coded here differs for each anatomic site, see Appendix C linked above	
cs_site_specific_factor_2	Item 2890 The information coded here differs for each anatomic site, see Appendix C linked above	
cs_site_specific_factor_3	Item 2900 The information coded here differs for each anatomic site, see Appendix C linked above	
cs_site_specific_factor_15	Item 2869 The information coded here differs for each anatomic site, see Appendix C linked above	
cs_site_specific_factor_16	Item 2870 The information coded here differs for each anatomic site, see Appendix C linked above	
regional_nodes_positive	Item 820 Records the exact number of regional nodes examined by the pathologist and found to contain metastases	

reporting_facility* **Commission on Cancer	Item 540 CoC** code for the facility whose data are described in the record. A listing of valid FINs can be found at http://www.facs.org/cancer/coc/fin.html .	
data_source	Indicates which cancer center recorded the data	

Ob/Gyn Mother & Baby Data (Froedtert Only)

Source: Epic

Primary date for sort/filter: mom_admit_dttm

*Table Granularity: each row represents data for a specific baby from a specific delivery encounter for a specific mother, so one mother could have multiple rows even if she only has a single delivery encounter in her record

Column	Description	Encrypted?
mrn*	Note: Froedtert MRN is in 00000000 format	PHI
patient_num*	Masked i2b2 patient number	Yes
delivery_encounter_num*	ID of the delivery encounter	Yes
del_dept_id	ID of the department for the delivery encounter	
del_dept_name	Name of the department for the delivery encounter	
mom_admit_dttm	Date/time of the mother's delivery admission	Yes, shifted
mom_disch_dttm	Date/time of the mother's delivery discharge	Yes, shifted
mom_los	Mom's length of stay in days for the delivery encounter	
mom_disch_disp	Mom's discharge disposition from the delivery encounter	
mom_age_at_del	Mom's age at delivery in years	
mom_marital_status	Mom's current marital status	
mom_race	Mom's current race	
mom_ethnicity	Mom's current ethnicity	
mom_ht_ftin	Mom's height in feet/inches	
mom_wt_oz	Mom's weight in ounces	
mom_bmi	Mom's body mass index	
preeclampsia	Indicates presence of a preeclampsia diagnosis on the delivery encounter **this variable should be validated using the Diagnosis table**	
pregest_dm	Indicates presence of a pregestational diabetes diagnosis on the delivery encounter **this variable should be validated using the Diagnosis table**	
gestational_dm	Indicates presence of a gestational diabetes diagnosis on the delivery encounter **this variable should be validated using the Diagnosis table**	
placental_abruption	Indicates presence of a placental abruption diagnosis on the delivery encounter **this variable should be validated using the Diagnosis table**	
maternal_dvt	Indicates presence of a maternal deep vein thrombosis diagnosis on the delivery encounter **this variable should be validated using the Diagnosis table**	

del_stage1_hrs	Length of the first stage of labor in hours	
del_stage2_hrs	Length of the second stage of labor in hours	
del_stage3_hrs	Length of the third stage of labor in hours	
bloodloss_del	The amount of blood lost in the delivery, in milliliters	
bloodloss_total	Total blood loss for a delivery encounter or pregnancy	
baby_mrn*	Froedtert medical record number in 00000000 format	PHI
baby_patient_num*	Masked i2b2 patient number	Yes
birth_encounter_num	ID of the birth encounter	Yes
baby_del_dept	Name of the department for the birth encounter	
baby_yob_shifted	Baby's year of birth	Yes, shifted
baby_dob_shifted	Baby's date of birth	Yes, shifted
baby_dod_shifted	Baby's date of death	Yes, shifted
baby_admit_dttm_shifted	Date/time of the baby's birth admission	Yes, shifted
baby_disch_dttm_shifted	Date/time of the baby's birth discharge	Yes, shifted
baby_los	Baby's length of stay in days for the birth encounter	
baby_disch_disp	Baby's discharge disposition from the birth encounter	
baby_birth_ht_in	Baby's birth height in inches	
baby_birth_wt_oz	Baby's birth weight in ounces	
baby_birth_wt_gms	Baby's birth weight in grams	
gest_age_wks	Baby's gestational age in weeks and days	
apgar1	Baby's 1 minute Apgar score	
apgar5	Baby's 5 minute Apgar score	
apgar10	Baby's 10 minute Apgar score	
anesth_conc	Comma delimited list of all anesthesia methods for the delivery	
del_meth_id	ID of the delivery method used for the birth	
delivery_method	Name of the delivery method used for the birth	
baby_sex	Baby's current gender	
baby_race	Baby's current race	
baby_ethnicity	Baby's current ethnicity	
ob_gravidity	Number of pregnancies documented on the first OB visit up to 90 days after the delivery	
ob_parity	Number of viable offspring documented on the first OB visit up to 90 days after the delivery	
ob_multiple_births	Number of multiple births documented on the first OB visit up to 90 days after the delivery	

Patient Demographics

Sources: Epic, Social Security Death Master File (SSDMF)

Primary date for sort/filter: (exempt from date filtering)

*Table Granularity: Each row represents a single patient and their respective demographics facts

All data elements are as current as the last data refresh reported at <https://ctri.mcw.edu/resources/bmi-links/>

Column	Description	Encrypted?
mrn*	Note: Froedtert MRN is in 00000000 format	PHI
patient_num*	Masked i2b2 patient number	Yes
sex_c	Category ID for the patient's sex/gender	
sex	Category name for the patient's sex/gender	
birth_date	Date of birth	Yes, shifted
vital_status	Possible statuses include alive and deceased. Note that there are many patient creation workflows that do not populate this item, so many alive patients could have blank statuses.	
death_date	Date of death	Yes, shifted
marital_status_c	Category ID for the patient's reported marital status	
marital_status	Category name for the patient's reported marital status	
employment_status_c	Category ID for the patient's reported employment status	
employment_status	Category name for the patient's reported employment status	
race_c	Category ID for the patient's reported race	
race	Category name for the patient's reported race	
hispanic_c	Category ID for the patient's ethnic background	
ethnicity	Ethnic background (Hispanic/Non-Hispanic)	
language_code	Category ID for the patient's reported language	
language	Category name for the patient's reported language	
need_interpreter	Indicates whether the patient needs an interpreter	
state_c	Internal ID of the state of patient's last known address	
state_name	Name of the state of patient's last known address	
zip3	The first 3 digits of the zip code from the patient's last known address. Full zip code is considered PHI.	
ped_gest_age	A newborn's gestational age at birth	
primary_care_provider_id	Epic ID for the patient's PCP – Primary Care Provider	
primary_care_provider_name	Name of the patient's PCP	
primary_care_provider_title	PCP's professional credentials (e.g., MD, DO)	
death_date_precision	Year/month vs. Year/month/day	
vital_status_source	Epic or SSDMF (social security death master file)	
death_date_source	Epic or SSDMF	

Patient Contact Info – Identified Extract Only

Sources: Epic

Primary date for sort/filter: (exempt from date filtering)

*Table Granularity: Each row represents a single patient and their respective contact facts

All data elements are as current as the last data refresh reported at <https://ctri.mcw.edu/resources/bmi-links/>

Column	Description	Encrypted?
patient_mrn*	Note: Froedtert MRN is in 00000000 format	PHI
full_name	Last name, First Name + Middle Initial	PHI
last_name	Last name (surname)	PHI
first_name	First name	PHI
middle_initial	Middle initial	PHI
add_line_1	Address, first line of street address	PHI
add_line_2	Address, second line of street address	PHI
city	Name of city	PHI
state_c	Machine-readable code for state	
state_name	Name of state	
country_c	Machine-readable code for country	
country_name	Name of country	
zip	Zip code (zip-9 when available)	PHI
home_phone	Home phone number	PHI
work_phone	Work phone number	PHI
all_mobiles	A list of all cell/mobile phone numbers for the patient	PHI
email_address	Primary email address	PHI
all_emails	Comma delimited list of all emails for the patient	PHI

Problem List

Source: Epic

Primary date for sort/filter: date_for_filter

Dx = Diagnosis

*Table Granularity: each row represents a specific problem list diagnosis code from a specific encounter for a specific patient, so a single patient could have multiple rows even if they only have a single encounter in their record

Column	Description	Encrypted?
mrn*	Note: Froedtert MRN is in 00000000 format	PHI
patient_num*	Masked i2b2 patient number	Yes
encounter_num/id*	ID of the Epic encounter	Yes
epic_dx_id	Epic's internal ID for a problem list entry	No
epic_dx_description	Froedtert's internal name for the problem list diagnosis	

dx_code*	ICD diagnosis code	
dx_code_type	Indicates which ICD version the dx code is from	
dx_code_description	Standardized ICD description for each diagnosis code	
date_for_filter	Represents a coalesce of noted_date, date_of_entry, contact_date and resolved_date	Yes, shifted
noted_date	The date the problem was first diagnosed. This date will default to the encounter date unless the patient reports a problem start date that precedes the encounter.	Yes, shifted
resolved_date	The date the problem was resolved	Yes, shifted
date_of_entry	The date the problem was either first entered into the patient's medical record or last edited	Yes, shifted
chronic_yn	Indicates whether or not this problem is flagged as chronic	
principal_pl_yn	Is this problem the principal problem? Yes or No	
hospital_pl_yn	Is this problem a hospital problem? Yes or No	

Procedures (Px)

Source: Epic orders, Epic hospital billing, GEIDX professional billing

Primary date for sort/filter: i2b2_date (a coalescence of multiple date fields)

*Table Granularity: each row represents a specific procedure source for a specific procedure code from a specific encounter for a specific patient, so a single patient could have multiple rows even if they only have a single encounter in their record

Column	Description	Encrypted?
mrn*	Note: Froedtert MRN is in 00000000 format	PHI
patient_num*	Masked i2b2 patient number	Yes
encounter_num/id*	ID of the encounter (may be fabricated if not from Epic)	Yes
enc_type (see value set)	Category for broad characterization of encounter type	
i2b2_date	Represents a coalesce of various procedure-related dates (service_date, specimen_taken_time, proc_bgn_time, order_time)	Yes, shifted
order_id	Unique patient-specific ID for a procedure order	Yes
procedure_source*	Indicates the source of the procedure coding	
proc_code	Epic code for procedure orders, some have coding embedded in them but many (like nursing orders) do not	No
px*	This represents the coding (e.g., CPT, HCPCS, none) linked to the procedure record	
px_type	CH = CPT/HCPCS, OT = Other, 9 = ICD-9, 10 = ICD-10	
procedure_name	Procedure name from Epic's procedure master file (EAP)	
order_type_c	ID of the order type linked to the Epic procedure order	No
order_type_name	Epic order types broadly classify procedure orders	
order_status_c	ID of the Epic order status	No
order_status_name	Includes status such as Resulted, Completed, Sent	
provider_id	Epic ID of the provider linked to the procedure record	No

provider_name	Name of the provider linked to the procedure record	
provider_title	Credentials of the provider linked to the procedure record	
sourcesystem_cd	Indicates the source system for the data (e.g., IDX, Epic)	

Social History – Lifestyle

Source: Epic

Primary date for sort/filter: contact_date

*Table Granularity: each row represents a specific social history review from a specific encounter for a specific patient, so a single patient can have multiple rows

Column	Description	Encrypted?
mrn*	Note: Froedtert MRN is in 00000000 format	PHI
patient_num*	Masked i2b2 patient number	Yes
encounter_num/id*	ID of the Epic encounter	Yes
contact_date	Date of the encounter on which tobacco history was taken	Yes, shifted
unknown_fam_hx_yn		
edu_level_c	Category ID for the patient’s highest level of school attended	
edu_level_name	Category name for the patient’s highest level of school attended	
years_education	Free text comments added by clinician regarding education *ONLY AVAILABLE ON IDENTIFIED TABLES*	PHI
alcohol_use_c	Category ID classifying the patient’s history of alcohol use	
alcohol_use_name	Category name classifying the patient’s history of alcohol use	
alcohol_oz_per_week	The fluid ounces of alcohol the patient consumes per week	
alcohol_freq_c	Category ID classifying the frequency of alcohol use	
alcohol_freq_name	Category name classifying the frequency of alcohol use	
alcohol_drinks_per_day_c	Category ID classifying the # of drinks per day	
alcohol_drinks_per_day_name	Category name classifying the # of drinks per day	
alcohol_comment	Free text comments added by clinician regarding alcohol use *ONLY AVAILABLE ON IDENTIFIED TABLES*	PHI
ill_drug_user_c	Category ID classifying the patient’s history of illicit drug use	
ill_drug_user_name	Category name classifying the patient’s history of drug use	
illicit_drug_cmt	Free text comments added by clinician regarding illicit drug use *ONLY AVAILABLE ON IDENTIFIED TABLES*	PHI
tobacco_user_c	Category ID classifying the patient’s history of tobacco use	
tobacco_user_name	Category name classifying the patient’s history of tobacco use	
tobacco_pak_per_dy	The number of packs of cigarettes the patient smokes per day, or null if the patient does not smoke.	
tobacco_used_years	Indicates the number of years a patient has smoked	
smoking_quit_date	Date on which the patient quit smoking	Yes, shifted
cigarettes_yn	Y if the patient uses cigarettes. N if the patient does not.	

pipes_yn	Y if the patient smokes a pipe. N if the patient does not.	
cigars_yn	Y if the patient uses cigars. N if the patient does not.	
snuff_yn	Y if the patient uses snuff. N if the patient does not.	
chew_yn	Y if the patient uses chewing tobacco. N if the patient does not.	
smokeless_tob_use_c	Category ID classifying the patient's smokeless tobacco use	
smokeless_tob_use_name	Category name classifying the patient's smokeless tobacco use	
tobacco_comment	Free text comments added by clinician regarding tobacco use *ONLY AVAILABLE ON IDENTIFIED TABLES*	PHI
sexually_active_c	Category ID classifying the patient's sexual activity status at the time of the encounter	
sexually_active_name	Category name classifying the patient's sexual activity status at the time of the encounter	
sex_comment	Free text comments added by clinician regarding sex activity *ONLY AVAILABLE ON IDENTIFIED TABLES*	PHI
female_partner_yn	Y if patient has a female sexual partner. N if patient does not.	
male_partner_yn	Y if patient has a male sexual partner. N if patient does not.	
condom_yn	Y if patient uses a condom during sexual activity. N if patient does not.	
pill_yn	Y if patient uses birth control pills. N if patient does not.	
diaphragm_yn	Y if patient uses a diaphragm. N if patient does not.	
iud_yn	Y if patient uses an IUD. N if patient does not.	
surgical_yn	Y if patient uses a surgical method of birth control such as hysterectomy, vasectomy, or tubal ligation. N if patient does not.	
spermicide_yn	Y if patient uses spermicide. N if patient does not.	
implant_yn	Y if patient uses an implant as a form of birth control. N if patient does not.	
rhythm_yn	Y if patient uses the rhythm method as a form of birth control. N if patient does not.	
injection_yn	Y if patient uses an injection as a form of birth control. N if patient does not.	
sponge_yn	Y if patient uses a sponge as a form of birth control. N if patient does not.	
inserts_yn	Y if the patient uses inserts as a form of birth control. N if patient does not.	
abstinence_yn	Y if patient practices abstinence. N if patient does not.	
fin_resource_strain_c	Category ID for the patient's level of financial strain	
fin_resource_strain_name	Category name for the patient's level of financial strain	
ipv_emotional_abuse_c	Category ID for the patient's emotional abuse from an intimate partner	
ipv_emotional_abuse_name	Category name for the patient's emotional abuse from an intimate partner	
ipv_fear_c	Category ID for the patient's fear of an intimate partner	

ipv_fear_name	Category name for the patient's fear of an intimate partner	
ipv_sexual_abuse_c	Category ID for the patient's sexual abuse from an intimate partner	
ipv_sexual_abuse_name	Category name for the patient's sexual abuse from an intimate partner	
ipv_physical_abuse_c	Category ID for the patient's physical abuse from an intimate partner	
ipv_physical_abuse_name	Category name for the patient's physical abuse from an intimate partner	
living_w_spouse_c	Category ID for the patient's spouse/partner living situation	
living_w_spouse_name	Category name for the patient's spouse/partner living situation	
daily_stress_c	Category ID for the patient's level of daily stress	
daily_stress_name	Category name for the patient's level of daily stress	
phone_communication_c	Category ID for the patient's level of phone communication with friends or family	
phone_communication_name	Category name for the patient's level of phone communication with friends or family	
socialization_freq_c	Category ID for the patient's level of in person socialization with friends or family	
socialization_freq_name	Category name for the patient's level of in person socialization with friends or family	
church_attendance_c	Category ID for the patient's level of religious svc attendance	
church_attendance_name	Category name for the patient's level of religious service attendance	
clubmtg_attendance_c	Category ID for the patient's level of club/org meeting attendance in a year	
clubmtg_attendance_name	Category name for the patient's level of club/org meeting attendance in a year	
club_member_c	Category ID for the patient's membership in any clubs/orgs	
club_member_name	Category name for the patient's membership in any clubs/orgs	
phys_act_days_per_week_c	Category ID for the patient's level of weekly physical activity	
phys_act_days_per_week_name	Category name for the patient's level of weekly physical activity	
phys_act_min_per_sess_c	Category ID for how many minutes are spent exercising on days that they exercise	
phys_act_min_per_sess_name	Category name for how many minutes are spent exercising on days that they exercise	
food_insecurity_scarce_c	Category ID for whether or not the patient had run out of food and was not able to buy more	
food_insecurity_scarce_name	Category name for whether or not the patient had run out of food and was not able to buy more	
food_insecurity_worry_c	Category ID for whether the patient worried about food running out in the past year or not	
food_insecurity_worry_name	Category name for whether the patient worried about food running out in the past year or not	
med_transport_needs_c	Category ID for whether the patient had difficulty regarding transportation for medical appointments and medicine	

med_transport_needs_name	Category name for whether the patient had difficulty regarding transportation for medical appts and medicine	
other_transport_needs_c	Category ID for whether the patient had difficulty regarding transportation for things other than medical appointments and medicine	
other_transport_needs_name	Category name for whether the patient had difficulty regarding transportation for things other than medical appointments and medicine	

Vitals

Source: Epic Encounters

Primary date for sort/filter: measure_date

*Table Granularity: each row represents the most recent set of vitals measurements from a specific encounter for a specific patient, so a single patient can have multiple rows

Column	Description	Encrypted?
mrn*	Note: Froedtert MRN is in 00000000 format	PHI
patient_num*	Masked i2b2 patient number	Yes
encounter_num/id*	ID of the Epic encounter	Yes
measure_date	The date the measurement was recorded	Yes, shifted
height	The patient height in inches recorded during the encounter	
weight	The patient's weight in pounds as recorded during the encounter.	
bmi	The patient's Body Mass Index calculated using the recorded height and weight	
bp_diastolic	The diastolic portion of the patient's blood pressure measured at this encounter	
bp_systolic	The systolic portion of the patient's blood pressure measured at the encounter	
pulse	The patient's pulse taken during this encounter	
temperature	The patient's temperature taken during this encounter. This value is in degrees Fahrenheit regardless of how the temperature reading was entered.	
respirations	The patient's respiration rate as recorded during this encounter	

Value Sets

Encounter Type [enc_type]

https://pcor-net.org/wp-content/uploads/2019/09/PCORnet-Common-Data-Model-v51-2019_09_12.pdf

AV	Ambulatory Visit	An in-person outpatient visit
ED	Emergency Visit	The patient presented to an Emergency Department
EI	ED to Inpatient	The patient started their stay as ED and then admitted to IP
IP	Inpatient Stay	The patient was admitted (or planned to be) to a hospital nursing unit
NI	No Information	Unable to link non-Epic data to a known Epic encounter
OA	Other Ambulatory	A patient-specific visit with clinical coding in which the patient was not present (e.g., Clinical Documentation, Telephone, Refill)
OS	Other Stay	Includes Hospice

OT	Other	
----	-------	--

Diagnosis Source [dx_source]

https://pcorner.org/wp-content/uploads/2019/09/PCORnet-Common-Data-Model-v51-2019_09_12.pdf

AD	Admitting	Encounter
DI	Discharge	Billing
FI	Final	Billing
IN	Interim	Encounter
NI	No information	Unable to link non-Epic data to a known Epic encounter
UN	Unknown	
OT	Other	Includes Medical History

Result Modifier

https://pcorner.org/wp-content/uploads/2019/09/PCORnet-Common-Data-Model-v51-2019_09_12.pdf

EQ	Equal
GE	Greater than or equal to
GT	Greater than
LE	Less than or equal to
LT	Less than
TX	Text
NI	No information
NO	No higher/lower limit
UN	Unknown
OT	Other

References

Medication classes: <https://www.wolterskluwer CDI.com/drug-data/medi-span-electronic-drug-file/>

Medication GPIs: <https://www.wolterskluwer CDI.com/drug-data/gpi/>

NAACCR Tumor Registry: <http://datadictionary.naacr.org/default.aspx?c=10>

NCI Collaborative Staging <https://seer.cancer.gov/archive/manuals/2015/appendixc.html>

AJCC Staging System: <https://cancerstaging.org/Pages/default.aspx>

LOINC: <https://loinc.org>

RxNorm: <https://mor.nlm.nih.gov/RxNav/>

RxNorm CUI Types: <https://www.nlm.nih.gov/research/umls/rxnorm/docs/appendix5.html>

Change Log

Version 2.0 - July 2020 - aligned Children's tables to Froedtert format

Version 2.1 - Aug 2020 - updated columns on Froedtert Genomics table

Version 2.2 - Aug 2020 - added Admission Source & Hospital Service to Encounters table

Version 2.3 - Sept 2020 - expanded Froedtert Social History tables variables

Version 2.4 - Sept 2020 - added new Froedtert Imaging Orders table